



Bahndaten / course data / donnés des parcours

	Start	E1		E2		E3		E4		E5 Sprint		E5 Middle		E6	
		km	hm	km	hm	km	hm	km	hm	km	hm	km	hm	km	hm
H10	S3 RDDM	1.4	75	2.3	20	1.7	55	1.9	50	1.4	45	2.0	45	2.4	110
H12	S2 Neutrass	2.8	230	4.0	135	2.2	140	2.7	100	1.8	45	2.1	50	3.1	120
H14	S2 Neutrass	3.6	340	4.2	215	2.7	165	3.8	140	1.9	55	2.2	75	3.8	150
H16	S1 EGK	5.0	370	5.6	385	3.4	180	4.8	180	2.4	65	2.8	90	3.7	220
H18	S1 EGK	5.5	520	7.0	400	3.5	200	5.6	220	2.5	75	3.5	100	4.3	260
H20	S1 EGK	6.5	615	8.3	575	4.6	230	6.2	240	2.6	80	4.3	150	5.3	270
HE	S1 EGK	8.9	770	10.1	820	4.6	260	6.9	340	3.2	90	4.8	175	5.6	340
HAL	S1 EGK	5.5	560	7.3	460	3.4	205	6.2	240	2.8	75	4.4	160	4.9	260
HAM	S1 EGK	3.7	360	4.8	275	2.7	140	4.5	170	2.5	70	4.0	115	3.5	170
HAK	S2 Neutrass	2.3	210	3.3	95	2.2	105	3.5	110	2.4	70	2.6	85	2.9	100
HB	S2 Neutrass	2.7	265	3.8	170	2.1	100	3.8	110	2.1	65	2.3	75	3.1	110
H35	S1 EGK	4.6	350	6.2	305	3.5	160	5.1	210	2.7	80	3.6	110	4.6	290
H40	S1 EGK	4.6	390	6.3	350	3.6	190	5.3	220	2.4	80	3.6	105	4.7	270
H45	S1 EGK	4.2	385	5.7	335	3.2	180	5.2	210	2.3	75	3.4	100	4.5	240
H50	S2 Neutrass	4.0	365	5.5	305	3.3	190	5.1	200	2.1	75	3.1	95	4.5	210
H55	S2 Neutrass	3.8	350	5.2	315	3.3	180	5.0	190	2.0	70	3.0	90	4.3	200
H60	S2 Neutrass	3.7	340	5.4	260	3.2	160	4.7	160	1.9	60	2.9	85	4.1	190
H65	S2 Neutrass	3.9	275	4.7	245	2.7	180	4.4	130	1.7	60	2.6	75	3.9	180
H70	S2 Neutrass	3.0	250	4.2	215	2.4	130	4.1	100	1.5	50	2.2	55	3.1	150
H75	S2 Neutrass	2.4	220	3.5	140	2.3	105	3.8	90	1.3	50	2.1	55	3.1	130
H80	S3 RDDM	2.0	140	2.6	115	1.8	90	2.7	80	1.2	45	1.9	50	2.5	130
H85	S3 RDDM	1.7	85	2.2	65	1.3	60	2.2	50	1.2	45	1.6	35	1.9	70
H45K	S3 RDDM	4.0	330	4.4	290	2.7	150	4.0	170	1.9	70	2.8	90	3.8	210
H50K	S3 RDDM	4.3	330	4.5	280	2.5	140	4.0	180	1.9	70	2.5	80	3.7	210
H55K	S3 RDDM	4.0	300	4.4	235	2.4	160	3.9	170	1.7	55	2.5	75	3.7	180
H60K	S3 RDDM	4.2	240	4.2	185	2.3	140	3.7	170	1.7	50	2.5	75	3.4	180
H65K	S3 RDDM	4.0	220	3.7	180	2.1	150	3.5	170	1.4	45	2.3	65	2.9	180
D10	S3 RDDM	1.4	70	2.2	20	1.7	55	1.9	30	1.4	45	2.0	40	2.3	110
D12	S2 Neutrass	2.4	205	3.8	110	1.8	95	2.6	80	1.6	45	1.9	40	3.0	110
D14	S2 Neutrass	2.9	300	4.2	190	2.2	120	3.2	120	1.9	50	2.2	60	3.1	130
D16	S1 EGK	4.0	355	5.1	260	2.9	150	3.8	160	2.3	60	2.7	75	3.4	180
D18	S1 EGK	4.8	395	6.1	285	2.8	150	4.4	170	2.4	70	3.1	95	3.8	190
D20	S1 EGK	5.7	435	7.3	420	3.4	160	5.3	190	2.6	75	3.8	110	4.2	230
DE	S1 EGK	6.5	640	8.7	620	3.3	220	6.2	220	2.9	80	4.2	150	4.8	250
DAL	S1 EGK	4.5	425	6.5	330	2.9	130	4.4	180	2.4	70	3.0	100	3.8	150
DAM	S1 EGK	3.4	225	4.7	160	2.2	120	3.8	130	2.2	70	2.9	90	3.0	110
DAK	S2 Neutrass	1.7	170	2.9	70	2.0	80	2.9	70	1.9	60	2.3	65	2.5	90
DB	S2 Neutrass	2.5	230	3.6	150	2.0	80	3.2	120	1.7	55	2.4	75	2.6	90
D35	S1 EGK	3.4	225	4.7	185	2.4	140	4.5	150	2.1	60	3.3	110	4.2	200
D40	S1 EGK	4.1	275	5.3	185	2.6	150	4.7	160	2.1	60	3.2	100	4.1	200
D45	S1 EGK	3.7	380	5.4	260	2.7	170	4.6	170	1.9	60	3.1	105	4.0	190
D50	S2 Neutrass	4.0	285	4.9	220	2.7	160	4.4	150	1.9	60	3.3	105	3.7	160
D55	S2 Neutrass	3.0	255	4.5	165	2.3	140	4.1	140	1.8	55	3.1	90	3.1	150
D60	S2 Neutrass	3.0	250	4.0	200	2.4	130	3.8	130	1.6	40	2.7	70	3.1	140
D65	S2 Neutrass	2.5	225	3.7	155	1.9	120	3.5	120	1.6	45	2.5	60	2.7	120
D70	S2 Neutrass	1.9	200	3.9	125	1.9	100	3.2	110	1.2	30	2.3	60	2.6	110
D75	S2 Neutrass	1.6	180	2.7	70	1.6	75	2.5	70	1.1	25	2.0	35	2.2	90
D80	S3 RDDM	1.6	100	2.2	65	1.2	55	2.3	50	1.1	25	1.7	25	2.0	70
D45K	S3 RDDM	3.2	300	4.2	240	2.1	120	3.6	160	1.8	55	2.9	95	3.4	160
D50K	S3 RDDM	3.5	240	3.8	200	2.1	130	3.2	150	1.6	50	2.8	90	3.1	150
D55K	S3 RDDM	3.1	195	3.2	175	1.9	110	3.1	130	1.5	40	2.6	70	2.6	120
D60K	S3 RDDM	3.0	200	2.9	185	2.0	110	3.0	120	1.5	35	2.5	60	2.5	120
D65K	S3 RDDM	2.8	180	3.2	95	1.6	100	2.8	120	1.5	35	2.4	55	2.3	110
CS	S3 RDDM	1.9	100	2.8	85	1.6	70	2.6	90	1.4	35	2.2	30	2.4	100
CM	S3 RDDM	2.4	170	4.0	250	1.9	125	3.2	120	1.8	55	2.6	50	2.8	125
CL	S3 RDDM	3.0	190	5.0	275	2.9	200	3.8	150	2.3	65	2.8	70	3.4	120
CU	S3 RDDM	4.7	220	6.1	355	3.2	200	4.4	180	2.5	70	3.5	105	4.1	180
HS	S3 RDDM	1.6	125	2.8	80	1.4	50	1.9	40	1.1	25	2.1	35	1.8	100
HL	S3 RDDM	1.8	130	3.4	125	1.7	60	2.6	70	1.6	50	2.3	40	2.5	115